INDEX
TO VOLUME 44

SUBJECT INDEX

Abortion
Abortion and mental health: UK medical body weighs in, FYI, p. 4.

Abortion is safer than childbirth, FYI, p. 76.

Abortion-seeking minors' views on the Illinois parental notification law: a qualitative study, Kavanagh EK, Hasselbacher LA, Betham B, Tristan S and Gilliam ML, p. 159.

Administering misoprostol before first-trimester vacuum aspiration reduces risk of complications, Digest, p. 206.

Attitudes and decision making among women seeking abortions at one U.S. clinic, Foster DG, Gould H, Taylor J and Weitz TA, p. 117.

Contraceptive features preferred by women at high risk of unintended pregnancy, see **Contraception: General**.

Doctors' knowledge gaps, FYI, p. 148.

Medication abortion linked with increased risk of vaginal bleeding in subsequent pregnancy, Digest, p. 68.

Method choice after abortion, FYI, p. 6.

Most French teenagers who obtain abortions had been using contraceptives before conceiving, Digest, p. 209.

Odds of second-trimester abortion elevated among blacks and older teenagers, Digest, p. 139.

The public health risks of crisis pregnancy centers, Viewpoint, Rosen JD, p. 201.

Barrier Methods
Condom use among men with male partners varies according to situation, Digest, p. 274.

Teenage women's financial reliance on boyfriends linked to condom nonuse, see **Teenagers**.

Contraception: General
Contraceptive features preferred by women at high risk of unintended pregnancy, Lessard LN, Karasek D, Ma S, Darney P, Deardorff J, Lahiff M, Grossman D and Foster DG, p. 194.

Contraceptive Practice
Barriers to contraception and interest in over-the-counter access among low-income women: a qualitative study, Dennis A and Grossman D, p. 84.

Do racial and ethnic differences in contraceptive attitudes and knowledge explain disparities in method use? Rocca CH and Harper CC, p. 150.

Long-acting methods gain ground, FYI, p. 217.

Pregnancy ambivalence and contraceptive use among young adults in the United States, Higgins JA, Popkin RA and Santelli JS, p. 236.

Young adults' contraceptive knowledge, norms and attitudes: associations with risk of unintended pregnancy, Frost JJ, Lindberg LD and Finer LB, p. 107.

Emergency Contraception
They don't make it easy, FYI, p. 149.

Use of levonorgestrel emergency contraception in Utah: Is it more than "Plan B"? Melton L, Stanford JB and Dewitt MJ, p. 22.

What do we know about males and emergency contraception? A synthesis of the literature, Marcell AV, Waks AB, Rutkow L, McKenna R, Rompalo A and Hogan MT, p. 184.

Europe
Most French teenagers who obtain abortions had been using contraceptives before conceiving, see **Abortion**.

Parents' support and knowledge of their daughters' lives, and females' early sexual initiation in nine European countries, see **Teenagers**.

Fertility: Planning and Effects
Missed conceptions or misconceptions: perceived infertility among unmarried young adults in the United States, Polis CB and Schwab Zabin L, p. 30.

Pregnancy ambivalence and contraceptive use among young adults in the United States, see **Contraceptive Practice**.

Pregnancy desire among a sample of young couples who are expecting a baby, see **Teenagers**.

The latest on intendedness, FYI, p. 216.

Understanding pregnancy-related attitudes and behaviors: a mixed-methods study of homeless youth, see **Teenagers**.

Government Policy, Programming and Funding
Enhancing service delivery through Title X funding: findings from California, Thiel de Bocanegra H, Maguire F, Hulett D, Horsley K, Puffer M and Brindis CD, p. 262.

Variation in state unintended pregnancy rates in the United States, see **Population Policy and Research**.

Hormonal Implants and Injectables
Implant works for overweight women, FYI, p. 217.

Postabortion contraception: qualitative interviews on counseling and provision of long-acting reversible contraceptive methods, see **Service Providers**.

Intrauterine Devices
Don't blame the IUD, FYI, p. 149.

Effective but hardly used, FYI, p. 77.

IUD and implant win, FYI, p. 149.

Postabortion contraception: qualitative interviews on counseling and provision of long-acting reversible contraceptive methods, see **Service Providers**.

Law and Policy
Abortion-seeking minors' views on the Illinois parental notification law: a qualitative study, see **Abortion**.

Males
Association between serosorting and HIV risk differs by race among men with male partners, see **STDs**.

Condom use among men with male partners varies according to situation, see **Barrier Methods**.

Designing messages to motivate parents to get their preteenage sons vaccinated against human papillomavirus, see **STDs**.

For better semen, hold the cheese, FYI, p. 77.

Infants with the youngest or oldest fathers are at risk of adverse outcomes, see **Maternal and Child Health**.

What do we know about males and emergency contraception? A synthesis of the literature, see **Emergency Contraception**.

Maternal and Child Health

Infants with the youngest or oldest fathers are at risk of adverse outcomes, Digest, p. 271.

Missed HIV prevention opportunities associated with perinatal infection, see **STDs**.

Neighborhood conditions may be associated with maternal health behavior, Digest, p. 67.

Patterns of sexual partnering and reproductive history: associations with timing of first birth in a birth cohort, see **Sexual Behavior**.

Prenatal care and subsequent birth intervals, Teitler JO, Das D, Kruse L and Reichman NE, p. 13.

Population Policy and Research

Variation in state unintended pregnancy rates in the United States, Kost K, Finer LB and Singh S, p. 57.

Pregnancy and Childbirth

ACE-ing blood pressure, FYI, p. 4.

Medication abortion linked with increased risk of vaginal bleeding in subsequent pregnancy, see **Abortion.**

Risk factors present at start of pregnancy have little clinical value for predicting stillbirths, Digest, p. 65.

Teenagers and young adults have elevated maternity-related risks, Digest, p. 207.

Trick or…treat? FYI, p. 4.

Public Opinion

Life after death, FYI, p. 217.

Reproductive Health

Associations between patterns of emerging sexual behavior and young adult reproductive health, see **Sexual Behavior**.

Cervical cancer is most frequently detected HPV-associated cancer, Digest, p. 210.

Changes in sexual activity after menopause unrelated to gynecologic conditions, see **Sexual Behavior**.

Research Methods

Regression analysis and causal inference: cause for concern? Viewpoint, Constantine NA, p. 134.

Service Providers

Associations between sexual and reproductive health communication and health service use among U.S. adolescent women, see **Teenagers**.

Barriers to contraception and interest in over-the-counter access among low-income women: a qualitative study, see **Contraceptive Practice**.

Enhancing service delivery through Title X funding: findings from California, see **Government Policy, Programming and Funding**.

Postabortion contraception: qualitative interviews on counseling and provision of long-acting reversible contraceptive methods, Morse J, Freedman L, Speidel JJ, Thompson KMJ, Stratton L and Harper CC, p. 100.

Primary care physicians' perceptions of barriers to preventive reproductive health care in rural communities, Chuang CH, Hwang SW, McCall-Hosenfeld JS, Rosenwasser L, Hillemeier MM and Weisman CS, p. 78.

Provider recommendation linked to adolescent females' HPV vaccination, see **Teenagers**.

The public health risks of crisis pregnancy centers, see **Abortion**.

Sex Education

Associations between sexual and reproductive health communication and health service use among U.S. adolescent women, see **Teenagers**.

Does sex education help lower birthrates? FYI, p. 77.

Risk reduction program delays sex among middle school students, but risk avoidance program does not, Digest, p. 138.

Youth have healthier sexual outcomes if their sex education classes discuss contraception, Digest, p. 270.

Sexual Behavior

Associations between alcohol use in adolescence and sexual risk during adulthood vary by race, see **Teenagers**.

Associations between patterns of emerging sexual behavior and young adult reproductive health, Haydon AA, Herring AH and Halpern CH, p. 218.

Changes in sexual activity after menopause unrelated to gynecologic conditions, Digest, p. 68.

Early first sex, later risk, FYI, p. 149.

For older people, being black and single linked to nonmonogamous partnerships, Digest, p. 66.

Parents' support and knowledge of their daughters' lives, and females' early sexual initiation in nine European countries, see **Teenagers**.

Patterns of sexual partnering and reproductive history: associations with timing of first birth in a birth cohort, van Roode T, Dickson N, Sharples K and Paul C, p. 48.

STDs

A qualitative study of rural black adolescents' perspectives on primary STD prevention strategies, see **Teenagers**.

Association between serosorting and HIV risk differs by race among men with male partners, Digest, p. 272.

Cervical cancer is most frequently detected HPV-associated cancer, see **Reproductive Health**.

Designing messages to motivate parents to get their preteenage sons vaccinated against human papillomavirus, Cates JR, Ortiz R, Shafer A, Romocki LS and Coyne-Beasley T, p. 39.

Foreign- and U.S.-born individuals with HIV have different demographic and risk profiles, Digest, p. 273.

HAART helps babies, FYI, p. 148.

Missed HIV prevention opportunities associated with perinatal infection, Digest, p. 140.

Multiple risks if a partner's been in jail, FYI, p. 217.

Neighborhood characteristics are not as strongly linked to chlamydia risk as are individual ones, Digest, p. 141.

New STD risk factor, FYI, p. 77.

Not enough testing going on, FYI, p. 216.

Now some good news, FYI, p. 76.

One thing leads to another (maybe), FYI, p. 5.

Oral HPV infects 7% of Americans aged 14–69; prevalence strongly linked to sexual experience, Digest, p. 139.

Parents, adolescent sons open to variety of settings for HPV vaccination, Digest, p. 271.

Predicting cancer from an HPV test, FYI, p. 217.

Risk of herpes type 2 elevated among adults who are HIV-positive, Digest, p. 142.

Screening a captive audience, FYI, p. 148.

STD and HIV risk factors among U.S. young adults: variations by gender, race, ethnicity and sexual orientation, Mojola SA and Everett B, p. 125.

Successful tailoring, FYI, p. 5.

Taking an incomplete in HPV vaccination, FYI, p. 149.

Tweeting about testing: Do low-income, parenting adolescents and young adults use new media technologies to communicate about sexual health? Divecha Z, Divney A, Ickovics J and Kershaw T, p. 176.

Who *are* these guys? FYI, p. 76.

Who gets postpartum STDs? FYI, p. 216.

Young women recognize need for safer sex after HPV vaccination, Digest, p. 69.

Sterilization

Frustrated demand for sterilization among low-income Latinas in El Paso, Texas, Potter JE, White K, Hopkins K, McKinnon S, Shedlin MG, Amastae J and Grossman D, p. 228.

Teenagers

A qualitative study of rural black adolescents' perspectives on primary STD prevention strategies, Akers AY, Gold MA, Coyne-Beasley T and Corbie-Smith G, p. 92.

Abortion-seeking minors' views on the Illinois parental notification law: a qualitative study, see **Abortion**.

Associations between alcohol use in adolescence and sexual risk during adulthood vary by race, Digest, p. 207.

Associations between sexual and reproductive health communication and health service use among U.S. adolescent women, Stidham Hall K, Moreau C and Trussell J, p. 6.

Most French teenagers who obtain abortions had been using contraceptives before conceiving, see **Abortion**.

Odds of second-trimester abortion elevated among blacks and older teenagers, see **Abortion**.

Parents, adolescent sons open to variety of settings for HPV vaccination, see **STDs.**

Parents' support and knowledge of their daughters' lives, and females' early sexual initiation in nine European countries, Madkour AS, Farhat T, Halpern CT, nic Gabhainn S and Godeau E, p. 167.

Pregnancy desire among a sample of young couples who are expecting a baby, Sipsma H, Divney AA, Niccolai LM, Gordon D, Magriples U and Kershaw TS, p. 244.

Provider recommendation linked to adolescent females' HPV vaccination, Digest, p. 208.

Racial gap in teenage pregnancy peaks early, FYI, p. 5.

Risk reduction program delays sex among middle school students, but risk avoidance program does not, see **Sex Education**.

Steps in the right direction, FYI, p. 148.

Teenage women's financial reliance on boyfriends linked to condom nonuse, Digest, p. 210.

Teenagers and HIV testing, FYI, p. 77.

Teenagers and young adults have elevated maternity-related risks, see **Pregnancy and Childbirth**.

The devil's in the details, FYI, p. 216.

Tweeting about testing: Do low-income, parenting adolescents and young adults use new media technologies to communicate about sexual health? see **STDs**.

Understanding pregnancy-related attitudes and behaviors: a mixed-methods study of homeless youth, Tucker JS, Sussell J, Golinelli D, Zhou A, Kennedy DP and Wenzel SL, p. 252.

What went wrong? FYI, p. 76.

Young women recognize need for safer sex after HPV vaccination, see **STDs.**

Youth have healthier sexual outcomes if their sex education classes discuss contraception, see **Sex Education.**

AUTHOR INDEX

Akers AY, Gold MA, Coyne-Beasley T and Corbie-Smith G, A qualitative study of rural black adolescents' perspectives on primary STD prevention strategies, p. 92.

Amastae J, see Potter JE.

Betham B, see Kavanagh EK.

Brindis CD, see Thiel de Bocanegra H.

Cates JR, Ortiz R, Shafer A, Romocki LS and Coyne-Beasley T, Designing messages to motivate parents to get their preteenage sons vaccinated against human papillomavirus, p. 39.

Chuang CH, Hwang SW, McCall-Hosenfeld JS, Rosenwasser L, Hillemeier MM and Weisman CS, Primary care physicians' perceptions of barriers to preventive reproductive health care in rural communities, p. 78.

Constantine NA, Regression analysis and causal inference: cause for concern? Viewpoint, p. 134.

Corbie-Smith G, see Akers AY.

Coyne-Beasley T, see Akers AY and Cates JR.

Darney P, see Lessard LN.

Das D, see Teitler JO.

Deardorff J, see Lessard LN.

Dennis A and Grossman D, Barriers to contraception and interest in over-the-counter access among low-income women: a qualitative study, p. 84.

Dewitt MJ, see Melton L.

Dickson N, see van Roode T.

Divecha Z, Divney A, Ickovics J and Kershaw T, Tweeting about testing: Do low-income, parenting adolescents and young adults use new media technologies to communicate about sexual health? p. 176.

Divney A, see Divecha Z.

Divney AA, see Sipsma H.

Everett B, see Mojola SA.

Farhat T, see Madkour AS.

Finer LB, see Frost JJ and Kost K.

Foster DG, Gould H, Taylor J and Weitz TA, Attitudes and decision making among women seeking abortions at one U.S. clinic, p. 117.

Foster DG, see Lessard LN.

Freedman L, see Morse J.

Frost JJ, Lindberg LD and Finer LB, Young adults' contraceptive knowledge, norms and attitudes: associations with risk of unintended pregnancy, p. 107.

Gilliam ML, see Kavanagh EK.

Godeau E, see Madkour AS.

Gold MA, see Akers AY.

Golinelli D, see Tucker JS.

Gordon D, see Sipsma H.

Gould H, see Foster DG.

Grossman D, see Dennis A, Lessard LN and Potter JE.

Halpern CT, see Haydon AA and Madkour AS.

Harper CC, see Morse J and Rocca CH.

Hasselbacher LA, see Kavanagh EK.

Haydon AA, Herring AH and Halpern CT, Associations between patterns of emerging sexual behavior and young adult reproductive health, p. 218.

Herring AH, see Haydon AA.

Higgins JA, Popkin RA and Santelli JS, Pregnancy ambivalence and contraceptive use among young adults in the United States, p. 236.